

EN

COOL1



blupura

ALWAYS COOLER

COOL1

80
lt/h

150
lt/h



Gas
R290



Ice
Bank



Touch
Free



Stainless
Steel

POWERFUL IN PERFORMANCE, COOL1 IS THE DISPENSER FOR HIGH-VOLUME CANTEENS AND SELF-SERVICE AREAS.

It supplies large quantities of still or sparkling water.
Cool1 is practical and powerful, as well as highly reliable.





Dual-function buttons or "touch-free" commands are positioned below.



Convenient front opening for maintenance and inspection. Internal space to house an optional bracket for filters and the 6-kg CO₂ cylinder strap.



Its characteristics oriented to the maximum practicality and convenience, make it perfect not only for professional use, but also in public and school spaces.



Bactericidal UV lamp located at the outlet on each dispensing area. UV rays have a sterilizing power and prevent bacterial proliferation.



Natural Gas R290
An environmentally-friendly
choice, with the benefit
of a more silent compressor.

Electromechanical push buttons
with intermittent delivery, ideal for
self-service facilities.

Robust stainless-steel body
with internal space to house the
CO₂ cylinder, UV lamp and filter.





		 Fizz	 Ambient	 Cold	 Dispensing area	 Weight	 Dimensions
	Lt./h				He [mm]	[kg]	W x D x H [mm]
COOL1 80	80		•	•	297	39	479 x 428 x 1440
COOL1 80 Fizz	80	•	•	•	297	42	479 x 428 x 1440
COOL1 Touch Free 80	80		•	•	297	39	479 x 428 x 1440
COOL1 Touch Free 80 Fizz	80	•	•	•	297	42	479 x 428 x 1440
COOL1 150	150		•	•	297	41	479 x 428 x 1440
COOL1 150 Fizz	150	•	•	•	297	49	479 x 428 x 1440
COOL1 Touch Free 150	150		•	•	297	41	479 x 428 x 1440
COOL1 Touch Free 150 Fizz	150	•	•	•	297	49	479 x 428 x 1440

OPTIONAL EXTRAS

In-line filters		Filter + Head		Water pressure reducer
		UVC Led In		CO ₂ pressure reducer with 2 pressure gauge (only for Fizz models)
Outlet filters		Blufire		
	or			Incremental digital litre-counter 6000R
		UVC Led OUT	or	
	or			Decremental digital litre-counter 8000T
Other		Nano Silver Pipe	or	
		Bluprotection		Mechanical litre-counter


Given its commitment to continuous technological development, Blupura reserves the right to enhance or modify the products shown in this catalogue without prior notice.

TECHNICAL PROFILE

Cool1 80 Fizz
Cool1 Touch Free 80 Fizz

Cool1 150 Fizz
Cool1 Touch Free 150 Fizz

Cooling capacity [Lt/h.]	80	150
Power supply	230 V - 50 Hz	230 V - 50 Hz
Pump	Membrane carbonation pump	Rotary carbonation pump
Cooling technology	Ice Bank - Single Stainless Steel coil	Ice Bank - Double Stainless Steel coil
Ice Bank capacity [Lt]	14	18
Ice Bank [Kg]	5	8
Condensation	Ventilated Condensation	Ventilated Condensation
Power consumption [W]	530	920
Max. absorption [A]	2,3	4
Materials	Stainless steel	Stainless steel





Blupura S.r.l. - Via Volponi, 11 - 62019 Recanati (Mc) - Italy
Tel. +39 071 971 0080 - info@blupura.com

Blupura Usa - 1200 Brickell Ave, Suite 1950 - Miami (FL) 33131 - USA - Tel. +1 305 777 3591 - blupurausa@blupura.com
www.blupura.com



**costruzioni
meccaniche
friulane**

D.V. srl - Depuration Vèhiculer
Via E.Ellero n.9 33080 / Cusano di Zoppola (Pn) Italy
Tel. 0039 0434 978476 / info@cmfitalia.com
info@dvsrl.com / dvsrl.com

www.cmfitalia.it